

SAFETY DATA SHEET

Creation Date 16-June-2009

Revision Date 17-January-2018

Revision Number 6

1. Identification

Product Name	Acetonitrile
Cat No. :	A21-1; A21-4; A21-20; A21-200; A21-200LC; A21FB-19; A21FB-50; A21FB-115; A21FB-200; A21RB-115; A21RS-19; A21RS-28; A21RS-50; A21RS-115; A21RS-200; A21RS-1350; A21FB-445; A993-1; A993RS-19; A996-1; A996-4; A996-4LC; A996N2-19; A996RS-28; A996RS-50; A996RS-115; A996RS-200; A996SK-4; A996SS-19; A996SS-28; A996SS-50; A996SS-115; A996SS-200; A997-1; A997-4; A997-212; A997SK1; A997SK4; A998-1; A998-4; A998-4LC; A998-18; A998-212; A998N1-19; A998N2-19; A998POP-50; A998RS-19; A998RS-28; A998RS-50; A998RS-115; A998RS-200; A998SK-1; A998SK-4; A998SS-28; A998SS-50; A998SS-115; A998SS-200; A999-4; BP1165-50; BP1170-4; BP1170-450; BP1170-450LC; BP1170N1-19; BP1170N2-19; BP1170POP-20; BP1170POP-50; BP1170POP-200; BP1170RS-19; BP1170RS-28; BP1170RS-50; BP1170RS-115; BP1170RS-200; BP1170RS-1350; BP1170SS-50; BP1170SS-115; BP1170SS-200; BP1170SS-1350; BP2405-1; BP2405SK-1; BP2405SK-4; BP2600-100; LCMSKIT; OPTIMAKIT; XXA21ETNP200LI; NC1225777; NC0511676; XXACHPLCTF18LI; NC0650799; NC9736285; NC0320219; A998SS1350; NC1501026; XXA21ETNP4LI; NC1310377
CAS-No	75-05-8
Synonyms	Methyl cyanide; Ethanenitrile (Anhydrous/Certified ACS/HPLC/Pesticide/Septum-Sealed/DNA Synthesis/OPTIMA LC/MS)
Recommended Use	Laboratory chemicals.
Uses advised against	Food, drug, pesticide or biocidal product use

Details of the supplier of the safety data sheet

Company

Importer/Distributor
Fisher Scientific
112 Colonnade Road,
Ottawa, ON K2E 7L6,
Canada
Tel: 1-800-234-7437

Manufacturer

Fisher Scientific
One Reagent Lane
Fair Lawn, NJ 07410
Tel: (201) 796-7100

Emergency Telephone Number

CHEMTREC®, Inside the USA: 800-424-9300
CHEMTREC®, Outside the USA: 001-703-527-3887

2. Hazard(s) identification

Classification

WHMIS 2015 Classification Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Flammable liquids	Category 2
Acute oral toxicity	Category 4
Acute dermal toxicity	Category 4
Acute Inhalation Toxicity	Category 4
Serious Eye Damage/Eye Irritation	Category 2

Label Elements

Signal Word

Danger

Hazard Statements

Highly flammable liquid and vapor
 Harmful if swallowed, in contact with skin or if inhaled
 Causes serious eye irritation
 Harmful if inhaled



Precautionary Statements

Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
 Keep container tightly closed
 Ground/bond container and receiving equipment
 Use explosion-proof electrical/ventilating/lighting/equipment
 Use only non-sparking tools
 Take precautionary measures against static discharges
 Do not breathe dust/fumes/gas/mist/vapours/spray
 Wash face, hands and any exposed skin thoroughly after handling
 Do not eat, drink or smoke when using this product
 Use only outdoors or in a well-ventilated area
 Wear protective gloves/protective clothing/eye protection/face protection

Response

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower
 IF INHALED: Remove person to fresh air and keep comfortable for breathing
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 Call a POISON CENTER/ doctor if you feel unwell
 Rinse mouth
 Wash contaminated clothing before reuse
 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

Storage

Store in a well-ventilated place. Keep cool

Disposal

Dispose of contents/container to an approved waste disposal plant

3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Acetonitrile	75-05-8	>95

4. First-aid measures

General Advice	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.
Inhalation	Move to fresh air. If breathing is irregular or stopped, administer artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.
Ingestion	Do not induce vomiting. Call a physician or Poison Control Center immediately.
Most important symptoms/effects	Breathing difficulties. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Metabolism may release cyanide, which may result in headache, dizziness, weakness, collapse, unconsciousness, and possible death: Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting
Notes to Physician	Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media	Water spray, CO ₂ , dry chemical, dry sand, alcohol-resistant foam. Cool closed containers exposed to fire with water spray.
Unsuitable Extinguishing Media	Water may be ineffective, Do not use a solid water stream as it may scatter and spread fire
Flash Point	12.8 °C / 55 °F
Method -	No information available
Autoignition Temperature	525 °C / 977 °F
Explosion Limits	
Upper	16 vol %
Lower	3 vol %
Oxidizing Properties	Not oxidising
Sensitivity to Mechanical Impact	No information available
Sensitivity to Static Discharge	No information available

Specific Hazards Arising from the Chemical

Flammable. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Vapors may form explosive mixtures with air.

Hazardous Combustion Products

Hydrogen cyanide (hydrocyanic acid) Nitrogen oxides (NO_x) Carbon monoxide (CO) Carbon dioxide (CO₂)

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full

protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

Health
2

Flammability
3

Instability
0

Physical hazards
N/A

6. Accidental release measures

Personal Precautions

Remove all sources of ignition. Take precautionary measures against static discharges. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Use personal protective equipment.

Environmental Precautions

Should not be released into the environment. See Section 12 for additional ecological information.

Methods for Containment and Clean Up

Remove all sources of ignition. Take precautionary measures against static discharges. Provide adequate ventilation. Use spark-proof tools and explosion-proof equipment. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Prevent product from entering drains.

7. Handling and storage

Handling

Wear personal protective equipment. Ensure adequate ventilation. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Do not get in eyes, on skin, or on clothing. Do not breathe vapors or spray mist. Use spark-proof tools and explosion-proof equipment. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded.

Storage

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Flammables area.

8. Exposure controls / personal protection

Exposure Guidelines

Component	Alberta	British Columbia	Ontario TWAEV	Quebec	ACGIH TLV	OSHA PEL	NIOSH IDLH
Acetonitrile	TWA: 20 ppm TWA: 34 mg/m ³	TWA: 20 ppm Skin	TWA: 20 ppm Skin	TWA: 40 ppm TWA: 67 mg/m ³ STEL: 60 ppm STEL: 101 mg/m ³ Ceiling: 10 ppm Ceiling: 11 mg/m ³ Skin	TWA: 20 ppm Skin	(Vacated) TWA: 40 ppm (Vacated) TWA: 70 mg/m ³ (Vacated) TWA: 5 mg/m ³ (Vacated) STEL: 60 ppm (Vacated) STEL: 105 mg/m ³ TWA: 40 ppm TWA: 70 mg/m ³	IDLH: 137 ppm IDLH: 25 mg/m ³ TWA: 20 ppm TWA: 34 mg/m ³

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting/equipment.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles
Hand Protection Wear appropriate protective gloves and clothing to prevent skin exposure.

Glove material	Breakthrough time	Glove thickness	Glove comments
Butyl rubber	> 480 minutes	0.35 mm	As tested under EN374-3 Determination of Resistance to Permeation by Chemicals

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

Recommended Filter type: low boiling organic solvent Type AX Brown conforming to EN371

Environmental exposure controls

No information available.

Hygiene Measures

When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing.

9. Physical and chemical properties

Physical State	Liquid
Appearance	Colorless
Odor	aromatic
Odor Threshold	170 ppm
pH	No information available
Melting Point/Range	-46 °C / -50.8 °F
Boiling Point/Range	81 - 82 °C / 177.8 - 179.6 °F @ 760 mmHg
Flash Point	12.8 °C / 55 °F
Evaporation Rate	5.79
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	16 vol %
Lower	3 vol %
Vapor Pressure	97 mbar @ 20 °C
Vapor Density	1.42
Specific Gravity	0.781
Solubility	miscible
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	525 °C / 977 °F
Decomposition Temperature	No information available
Viscosity	0.36 cP at 20 °C
Molecular Formula	C ₂ H ₃ N
Molecular Weight	41.05

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability	Stable under normal conditions.
Conditions to Avoid	Incompatible products. Keep away from open flames, hot surfaces and sources of ignition. Exposure to moisture.
Incompatible Materials	Strong oxidizing agents, Strong acids, Reducing agents, Bases
Hazardous Decomposition Products	Hydrogen cyanide (hydrocyanic acid), Nitrogen oxides (NO _x), Carbon monoxide (CO), Carbon dioxide (CO ₂)
Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Acetonitrile	ATE = 617 mg/kg 450-787 mg/kg (Rat) 2460 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	ATE = 3587 ppm 7551 ppm (Rat) 8 h

Toxicologically Synergistic Products No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation	Irritating to eyes
Sensitization	No information available
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Acetonitrile	75-05-8	Not listed	Not listed	Not listed	Not listed	Not listed

Mutagenic Effects No information available

Reproductive Effects No information available.

Developmental Effects No information available.

Teratogenicity No information available.

STOT - single exposure None known

STOT - repeated exposure None known

Aspiration hazard No information available

Symptoms / effects, both acute and delayed Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Metabolism may release cyanide, which may result in headache, dizziness, weakness, collapse, unconsciousness, and possible death: Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Acetonitrile	Not listed	LC50: = 1650 mg/L, 96h static (Poecilia reticulata) LC50: 1600 - 1690 mg/L, 96h flow-through (Pimephales promelas) LC50: = 1000 mg/L, 96h static (Pimephales promelas) LC50: = 1850 mg/L, 96h static (Lepomis macrochirus)	EC50 = 28000 mg/L 48 h EC50 = 73 mg/L 24 h EC50 = 7500 mg/L 15 h	EC50: = 5838 mg/L, 18h (Daphnia pulex)

Persistence and Degradability Persistence is unlikely based on information available.

Bioaccumulation/ Accumulation No information available.

Mobility Will likely be mobile in the environment due to its volatility.

Component	log Pow
Acetonitrile	-0.34

13. Disposal considerations

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Acetonitrile - 75-05-8	U003	-

14. Transport information

DOT

UN-No UN1648
 Proper Shipping Name ACETONITRILE
 Hazard Class 3
 Packing Group II

TDG

UN-No UN1648
 Proper Shipping Name ACETONITRILE
 Hazard Class 3
 Packing Group II

IATA

UN-No UN1648
 Proper Shipping Name ACETONITRILE
 Hazard Class 3
 Packing Group II

IMDG/IMO

UN-No UN1648
 Proper Shipping Name ACETONITRILE
 Hazard Class 3
 Packing Group II

15. Regulatory information

All of the components in the product are on the following Inventory lists: X = listed

International Inventories

Component	DSL	NDSL	TSCA	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Acetonitrile	X	-	X	200-835-2	-		X	X	X	X	KE-0006 7

Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

Component	Canada - National Pollutant Release Inventory (NPRI)	Canadian Environmental Protection Agency (CEPA) - List of Toxic Substances	Canada's Chemicals Management Plan (CEPA)
Acetonitrile	Part 1, Group A Substance Part 4 Substance		

16. Other information

Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com
Creation Date	16-June-2009
Revision Date	17-January-2018
Print Date	17-January-2018
Revision Summary	This document has been updated to comply with the requirements of WHMIS 2015 to align with the Globally Harmonised System (GHS) for the Classification and Labelling of Chemicals.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS